



NU-LINE®


The Leader in Spray
Suppression Products

Fenders

Light Bars

Mud Flap Hangers

Mounting Kits



Toll Free: 866-837-2082
www.nuline.ca

Contents



Quarter Fenders

- ◆ Stainless steel 4
- ◆ Poly 5
- ◆ Rubber 5



NEW Super Single

- ◆ Full Tandem 6
- ◆ Quarter Fender 6
- ◆ Single Axle 7
- ◆ Half Tandem 7



Single Axle Fenders

- ◆ Pro Series 8
- ◆ 1000 Series 8
- ◆ NF 3 Rib 9-10
- ◆ **NEW** NF 3 Rib Up 9
- ◆ N 4 Rib 10-11
- ◆ ACP Aluminum 11
Checker Plate
- ◆ Poly 12
- ◆ Candy Cane 12
- ◆ Mounting Kits 13



Half Tandem Fenders

- ◆ Pro Series 14
- ◆ 1000 Series 14-15
- ◆ NF 3 Rib 15-17
- ◆ **NEW** NF 3 Ribs Up 16-17
- ◆ N 4 Rib 17-18
- ◆ ACP Aluminum 19
Checker Plate
- ◆ Poly 19
- ◆ Candy Cane 19
- ◆ Mounting Kits 20



Full Tandem Fenders

- ◆ Pro Series 21
- ◆ 1000 Series 21
- ◆ NF 3 Rib 21-22
- ◆ **NEW** NF 3 Ribs Up 23
- ◆ N 4 Rib 23
- ◆ ACP Aluminum 24
Checker Plate
- ◆ Poly 24
- ◆ Candy Cane 24
- ◆ Mounting Kits 25



Fender Mounting

- ◆ Components 26
- ◆ Center Mounting 27
Brackets



Mud Flap Hangers

- ◆ Hangers 28-29
- ◆ Reflectors 28
- ◆ **NEW** FleetFLEX 29
- ◆ **NEW** FleetFLEX 2 29
- ◆ Spring & Coil 29



Light Bars & Panels

- ◆ Centre Light 30
Bar
- ◆ Light Bar 30




Deck Plates & Steps

- ◆ Deck Plates 31
- ◆ Step 31



Miscellaneous & Bulk Items

- ◆ Miscellaneous 32



Installation/Warranty

- ◆ Installation 33
- ◆ Warranty 34




New Products & Innovations


NEW PRODUCTS & INNOVATIONS

FleetFLEX & FleetFLEX2 Mud Flap Hanger Bracket

- New innovative design is easy to install and up to 75% lighter... yet much stronger.



FleetFLEX vs. Steel Bar Bracket



*Results based on SAE J1455 Accelerated Vibration Test

NEW Page 29


Scan code for more information and a demonstration video.



or go to www.nuline.ca/fleetflex

Ribs Up Fenders

- New ribs up design for full and single axle fenders



NEW Page 9, 16, 17 and 23

New Super Single Models

- 19" width fenders for super single applications



NEW Page 6-7

www.nuline.ca

A Marmon Highway Technologies®/Berkshire Hathaway Company

QUARTER FENDERS


Stainless Steel



- High quality stainless steel design enhances any truck
- Lightweight
- Excellent wear resistance
- Easy to clean and maintain


Part #: **NF234SSNR**

- ◆ Two 14 gauge stainless steel fenders
- ◆ Two N200-SS7HD (12 gauge stainless steel) heavy duty mounting arms
- ◆ Two top flaps with hardware
- ◆ Two N2125-SS stainless steel clamps
- ◆ 34" length
- ◆ Weight: 45 lbs (pair)




Part #: **NF234SSNRCC14**

- ◆ Two 14 gauge stainless steel fenders
- ◆ Two N200-SS7HD (12 gauge stainless steel) heavy duty arms
- ◆ Two top flaps with hardware
- ◆ Two N2125-SS stainless steel clamps
- ◆ 35" length
- ◆ Weight: 55 lbs (pair)




Part #: **N231-SS**

- ◆ Two 16 gauge stainless steel fenders
- ◆ Two N200-SS7 mounting arms
- ◆ Two top flaps with hardware
- ◆ Two N2125-SS stainless steel clamps
- ◆ 31" length
- ◆ Weight: 40 lbs (pair)




Part #: **N227-SS**

- ◆ Two 18 gauge stainless steel fenders
- ◆ Two N200-SS7 mounting arms
- ◆ Two top flaps with hardware
- ◆ Two N2125-SS stainless steel clamps
- ◆ 26" length
- ◆ Weight: 35 lbs (pair)



Part #: **N224-SS**

- ◆ Two 18 gauge stainless steel fenders
- ◆ Two N200-SS7 mounting arms
- ◆ Two top flaps with hardware
- ◆ Two N2125-SS stainless steel clamps
- ◆ 24" length
- ◆ Weight: 35 lbs (pair)



Gauge	Typical Thickness*
12	.105"
14	.075"
16	.060"
18	.048"


*For reference only.

Stainless Steel




Part #: **N224-SSB**

- ◆ Two 18 gauge stainless steel fenders
- ◆ Two N127-SS7 mounting pipes
- ◆ Six mounting braces
- ◆ Two top flaps with hardware
- ◆ Two N2125-SS stainless steel clamps
- ◆ 24" length
- ◆ Weight: 30 lbs (pair)



Part #: **N1585**

- ◆ Two 18 gauge stainless steel fenders
- ◆ Two top flaps with hardware
- ◆ Two N2125-SS stainless steel clamps
- ◆ 24" length
- ◆ Weight: 29 lbs (pair)




Poly



Part #: **N1900-KIT**

- ◆ Two polyethylene fenders
- ◆ Two top flaps with hardware
- ◆ Two black clamps
- ◆ 24" length
- ◆ Weight: 20 lbs (pair)



- Long lasting high density polyethylene construction
- Corrosion, wear and UV resistant
- Lightweight
- Easy to clean and maintain

Rubber



Part #: **N123-R**

- ◆ Two rubber fenders
- ◆ 24" length
- ◆ Weight: 36 lbs (pair)

- Durable rubber
- Excellent wear resistance
- Easy to clean and maintain


www.nuline.ca

Super Single – Full Tandem Fenders

new

Part #: **NF132SSNR19**

- ◆ Two 16 gauge stainless steel fenders
- ◆ Smooth construction
- ◆ 132" overall length
- ◆ 19" width
- ◆ Weight: 64 lbs (pair)



- High quality stainless steel design enhances any truck
- Lightweight
- Excellent wear resistance
- Easy to clean and maintain

Mounting Kit part #: **N212019SSMK**

Includes:

- 4 of N200-SS7-19
- 1 of N230-19L
- 1 of N230-19R
- 4 of N52-19
- 1 of N2120SSHB




To order single fender add -1 to the fender part number

Super Single – Quarter Fender



Part #: **N231SS19**

- ◆ Two 16 gauge stainless steel fenders
- ◆ Two N200-SS7-19 mounting arms
- ◆ Two top flaps with hardware
- ◆ Two N2125-SS stainless steel clamps
- ◆ 31" length
- ◆ Weight: 30 lbs (pair)



Gauge	Typical Thickness*
12	.105"
14	.075"
16	.060"
18	.048"

*For reference only.


Super Single – Single Axle Fenders

NEW



Part #: NF180SS19

- ◆ Two 16 gauge stainless steel fenders
- ◆ 3 rib construction
- ◆ 80" overall length
- ◆ 19" width
- ◆ Weight: 45 lbs (pair)



Mounting Kit part #: **N218019SSMK**


Includes:

- 4 of N200-SS7-19
- 4 of N52-19
- 1 of N2180SSHB



Part #: NF180SSNR19

- ◆ Two 16 gauge stainless steel fenders
- ◆ Smooth construction
- ◆ 80" overall length
- ◆ 19" width
- ◆ Weight: 45 lbs (pair)




Super Single – Half Tandem Fenders



Part #: NF66SS19

- ◆ Two 16 gauge stainless steel fenders
- ◆ 3 rib construction
- ◆ 66" overall length
- ◆ 19" width
- ◆ Weight: 50 lbs (pair)



Mounting Kit part #: **N26019SSMK**


Includes:

- 2 of N200-SS7-19
- 1 of N230-19L
- 1 of N230-19R
- 2 of N52-19
- 1 of N260SSHB



Part #: NF72SSNR19

- ◆ Two 16 gauge stainless steel fenders
- ◆ Smooth construction
- ◆ 72" overall length
- ◆ 19" width
- ◆ Weight: 64 lbs (pair)




www.nuline.ca



A Marmon Highway Technologies®/Berkshire Hathaway Company


Pro Series Flanged Smooth Single Axle Fenders



- 14 gauge
- Smooth fender construction
- Excellent wear resistance

Part #: **NF166SSNR**


- ◆ Two 14 gauge stainless steel fenders
- ◆ 66" overall length
- ◆ 24" width
- ◆ Weight: 76 lbs (pair)



- 16 gauge
- Smooth fender construction
- Excellent wear resistance

Part #: **NF180SSNR**

- ◆ Two 14 gauge stainless steel fenders
- ◆ 80" overall length
- ◆ 24" width
- ◆ Weight: 92 lbs (pair)




1000 Series Flanged Smooth Single Axle Fenders



- 16 gauge
- Smooth fender construction
- Excellent wear resistance

Part #: **NF10166SSNR**


- ◆ Two 16 gauge stainless steel fenders
- ◆ 66" overall length
- ◆ 24" width
- ◆ Weight: 60 lbs (pair)



- 16 gauge
- Smooth fender construction
- Excellent wear resistance

Part #: **NF10180SSNR**


- ◆ Two 16 gauge stainless steel fenders
- ◆ 80" overall length
- ◆ 24" width
- ◆ Weight: 70 lbs (pair)



- 16 gauge
- Smooth fender construction
- Excellent wear resistance

Part #: **NF155SSNRLA**

- ◆ Two 16 gauge stainless steel "lift axle" fenders
- ◆ 55" overall length
- ◆ 24" width
- ◆ Weight: 50 lbs (pair)



Gauge	Typical Thickness*
12	.105"
14	.075"
16	.060"
18	.048"

*For reference only.




NF Series Flanged 3 Rib Single Axle Fenders



- 3 rib construction
- Excellent wear resistance


Part #: NF155A

- ◆ Two .090" aluminum fenders
- ◆ 53" overall length
- ◆ 24" width
- ◆ Weight: 26 lbs (pair)




Part #: NF155SS

- ◆ Two 16 gauge stainless steel fenders
- ◆ 55" overall length
- ◆ 24" width
- ◆ Weight: 48 lbs (pair)




Part #: NF166A

- ◆ Two .090" aluminum fenders
- ◆ 66" overall length
- ◆ 24" width
- ◆ Weight: 32 lbs (pair)




Part #: NF166ARU NEW

- ◆ Two .090" aluminum fenders
- ◆ **Ribs up** construction
- ◆ 66" overall length
- ◆ 25" width
- ◆ Weight: 32 lbs (pair)



Part #: NF166SS

- ◆ Two 16 gauge stainless steel fenders
- ◆ 66" overall length
- ◆ 24" width
- ◆ Weight: 60 lbs (pair)



Part #: NF166G

- ◆ Two 16 gauge galvanized fenders
- ◆ 66" overall length
- ◆ 24" width
- ◆ Weight: 60 lbs (pair)

NF Series 3 rib fenders continue next page

www.nuline.ca

A Marmon Highway Technologies®/Berkshire Hathaway Company



SINGLE AXLE FENDERS

NF Series Flanged 3 Rib Single Axle Fenders


Continued from previous page



- 3 rib construction
- Excellent wear resistance

Part #: **NF180A**

- ◆ Two .090" aluminum fenders
- ◆ 80" overall length
- ◆ 24" width
- ◆ Weight: 40 lbs (pair)




Part #: **NF180SS**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 80" overall length
- ◆ 24" width
- ◆ Weight: 70 lbs (pair)

Part #: **NF155SSLA**

- ◆ Two 16 gauge stainless steel "lift axle" fenders
- ◆ 55" overall length
- ◆ 24" width
- ◆ Weight: 50 lbs (pair)



N Series 4 Rib Single Axle Fenders




- 4 rib construction
- Excellent wear resistance

Part #: **N180A**

- ◆ Two .090" aluminum fenders
- ◆ 80" overall length
- ◆ 24" width
- ◆ Weight: 40 lbs (pair)

Part #: **N180SS**

- ◆ Two 18 gauge stainless steel fenders
- ◆ 80" overall length
- ◆ 24" width
- ◆ Weight: 60 lbs (pair)



Part #: **N180G**

- ◆ Two 16 gauge galvanized fenders
- ◆ 80" overall length
- ◆ 24" width
- ◆ Weight: 70 lbs (pair)

NF Series 4 rib fenders continue next page

Gauge	Typical Thickness*
12	.105"
14	.075"
16	.060"
18	.048"

*For reference only.



To order single fender add -1 to the fender part number

N Series 4 Rib Single Axle Fenders


Continued from previous page



- 4 rib construction
- Excellent wear resistance

Part #: **N155SS**


- ◆ Two 18 gauge stainless steel fenders
- ◆ 55" overall length
- ◆ 24" width
- ◆ Weight: 42 lbs (pair)



Part #: **N155G**

- ◆ Two 16 gauge galvanized fenders
- ◆ 55" overall length
- ◆ 24" width
- ◆ Weight: 42 lbs (pair)


ACP Aluminum Checker Plate Single Axle Fenders



- Light weight
- Aluminum checker plate (diamond pattern) design
- Excellent wear resistance

Part #: **NF180ACP**

- ◆ Two .100" aluminum fenders
- ◆ 80" overall length
- ◆ 24" width
- ◆ Weight: 44 lbs (pair)



SINGLE AXLE FENDERS

www.nuline.ca

 A Marmon Highway Technologies®/Berkshire Hathaway Company

SINGLE AXLE FENDERS


Poly Single Axle Fenders



- Long lasting high density polyethylene construction
- Corrosion, wear and UV resistant
- Lightweight
- Easy to clean and maintain


Part #: **NF18019PX**

- ◆ Two super single poly fenders
- ◆ 63" overall length
- ◆ 19" width
- ◆ Weight: 10 lbs (pair)




Part #: **NF18026PX**

- ◆ Two poly fenders
- ◆ 79" overall length
- ◆ 26" width
- ◆ Weight: 21 lbs (pair)



Part #: **See colour**

- ◆ Two poly fenders
- ◆ 76" overall length
- ◆ 24" width
- ◆ Weight: 21 lbs (pair)



Part #:

Black
NF180PX



Silver
NF180PX-2



White
NF180PX-3



Orange
NF180PX-4



Red
NF180PX-5



Yellow
NF180PX-6



Blue
NF180PX-7




Candy Cane Single Axle Fenders



- Smooth fender design
- Extended tire wrap-around
- Excellent wear resistance


Part #: **NF191CCSS**

- ◆ For use with 22.5" low profile tires
- ◆ Two 16 gauge stainless steel fenders
- ◆ 91" overall length
- ◆ 24" width
- ◆ Weight: 80 lbs (pair)



Part #: **NF195CCSS**

- ◆ For use with 24.5" low & high profile tires as well as 22.5" high profile tires
- ◆ Two 16 gauge stainless steel fenders
- ◆ 96" overall length
- ◆ 24" width
- ◆ Weight: 84 lbs (pair)



Gauge	Typical Thickness*
12	.105"
14	.075"
16	.060"
18	.048"

*For reference only.



Single Axle Fender Mounting Kits


All kits mount one set of fenders

SINGLE AXLE FENDERS

Part #: **N2180SSMK**

Includes



- 4 of N200-SS7
- 4 of N52
- 1 of N2180SSHB



Part #: **N180GMK**

Includes



- 4 of N30
- 1 of N180GHB



Part #: **N180GMK-PM**

Includes

- 4 of N40
- 1 of N180GHB




Part #: **N2180SSMKHD**

Heavy Duty

Includes


- 4 of N200-SS7HD
- 4 of N52
- 1 of N2180SSHB



Part #: **N180SSMK**

Includes


- 4 of N30-C
- 1 of N180SSHB



Part #: **N180SSMK-PM**

Includes


- 4 of N40-C
- 1 of N180SSHB



Part #: **N2180PMK**

Includes

- 4 of N200-SS7-BLK powder coated
- 4 of N52
- 1 of N2180SSHB




www.nuline.ca

A Marmon Highway Technologies®/Berkshire Hathaway Company




Pro Series Flanged Smooth Half Tandem Fenders



- 14 gauge
- Smooth fender construction
- Excellent wear resistance

Part #: **NF66SSNR**

- ◆ Two 14 gauge stainless steel fenders
- ◆ 66" overall length
- ◆ 24" width
- ◆ Weight: 74 lbs (pair)




1000 Series Flanged Smooth Fenders



- 16 gauge
- Smooth fender construction
- Excellent wear resistance


Part #: **NF1060SSNR**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 60" overall length
- ◆ 24" width
- ◆ Weight: 52 lbs (pair)




Part #: **NF1066SSNR**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 66" overall length
- ◆ 24" width
- ◆ Weight: 58 lbs (pair)



Part #: **NF1080SSNR**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 80" overall length
- ◆ 24" width
- ◆ Weight: 70 lbs (pair)



Gauge	Typical Thickness*
12	.105"
14	.075"
16	.060"
18	.048"

*For reference only.


1000 Series Long Front Flanged Smooth Half Tandem Fenders



- Long front fender
- 16 gauge
- Smooth fender construction
- Excellent wear resistance


Part #: NF1060SSNRLF

- ◆ Two 16 gauge stainless steel fenders
- ◆ 66" overall length
- ◆ 24" width
- ◆ Weight: 58 lbs (pair)



Part #: NF1066SSNRLF

- ◆ Two 16 gauge stainless steel fenders
- ◆ 72" overall length
- ◆ 24" width
- ◆ Weight: 64 lbs (pair)




NF Series Flanged 3 Rib Fenders



- 3 rib construction
- Excellent wear resistance

Part #: NF60A

- ◆ Two .090" aluminum fenders
- ◆ 60" overall length
- ◆ 24" width
- ◆ Weight: 28 lbs (pair)




Part #: NF60SS

- ◆ Two 16 gauge stainless steel fenders
- ◆ 60" overall length
- ◆ 24" width
- ◆ Weight: 52 lbs (pair)

Part #: NF66A

- ◆ Two .090" aluminum fenders
- ◆ 66" overall length
- ◆ 24" width
- ◆ Weight: 32 lbs (pair)



Part #: NF66SS

- ◆ Two 16 gauge stainless steel fenders
- ◆ 66" overall length
- ◆ 24" width
- ◆ Weight: 60 lbs (pair)

NF Series flanged 3 rib fenders continues next page

HALF TANDDEM FENDERS

www.nuline.ca

A Marmon Highway Technologies®/Berkshire Hathaway Company

HALF TANDEM FENDERS

NF Series Flanged 3 Rib Half Tandem Fenders


Continued from previous page



- 3 rib construction
- Excellent wear resistance


Part #: **NF80SS**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 80" overall length
- ◆ 24" width
- ◆ Weight: 70 lbs (pair)



Part #: **NF122A**

- ◆ Two .090" aluminum fenders
- ◆ 125" overall length
- ◆ 24" width
- ◆ Weight: 60 lbs (pair)




Part #: **NF122SS**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 125" overall length
- ◆ 24" width
- ◆ Weight: 110 lbs (pair)


Part #: **NF122ARU** **NEW**

- ◆ Two .090" aluminum fenders
- ◆ **Ribs up** design
- ◆ 125" overall length
- ◆ 25" width
- ◆ Weight: 60 lbs (pair)



Part #: **NF125A**

- ◆ Two .090" aluminum fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 56 lbs (pair)



Part #: **NF125SS**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 106 lbs (pair)

NF Series flanged 3 rib fenders continues next page




Gauge	Typical Thickness*
12	.105"
14	.075"
16	.060"
18	.048"

*For reference only.

NF Series Flanged 3 Rib Half Tandem Fenders


Continued from previous page

HALF TANDDEM FENDERS




- 3 rib construction
- For longer dual axle or tri-axle applications
- Excellent wear resistance


- Part #: **NF139A**
- ◆ Two .090" aluminum fenders
 - ◆ 144" overall length
 - ◆ 24" width
 - ◆ Weight: 68 lbs (pair)
- Part #: **NF139SS**
- ◆ Two 16 gauge stainless steel fenders
 - ◆ 144" overall length
 - ◆ 24" width
 - ◆ Weight: 126 lbs (pair)



- Part #: **NF139ARU NEW**
- ◆ Two .090" aluminum fenders
 - ◆ **Ribs up** construction
 - ◆ 144" overall length
 - ◆ 25" width
 - ◆ Weight: 68 lbs (pair)



- Part #: **NF150A**
- ◆ Two .090" tri-axle half tandem aluminum fenders
 - ◆ 155" overall length
 - ◆ 24" width
 - ◆ Weight: 74 lbs (pair)



- Part #: **NF150SS**
- ◆ Two 16 gauge tri-axle half tandem stainless steel fenders
 - ◆ 155" overall length
 - ◆ 24" width
 - ◆ Weight: 136 lbs (pair)


N Series 4 Rib Half Tandem Fenders



- 4 rib construction
- Excellent wear resistance

N Series 4 rib fenders continues next page

- Part #: **N60SS**
- ◆ Two 18 gauge stainless steel fenders
 - ◆ 60" overall length
 - ◆ 24" width
 - ◆ Weight: 44 lbs (pair)
- Part #: **N60G**
- ◆ Two 16 gauge galvanized fenders
 - ◆ 60" overall length
 - ◆ 24" width
 - ◆ Weight: 52 lbs (pair)



www.nuline.ca



HALF TANDEM FENDERS

N Series 4 Rib Half Tandem Fenders

Continued from previous page




- 4 rib construction
- Excellent wear resistance

Part #: N66A

- ◆ Two .090" aluminum fenders
- ◆ 66" overall length
- ◆ 24" width
- ◆ Weight: 32 lbs (pair)

Part #: N66SS

- ◆ Two 18 gauge stainless steel fenders
- ◆ 66" overall length
- ◆ 24" width
- ◆ Weight: 48 lbs (pair)




Part #: N66G

- ◆ Two 16 gauge galvanized fenders
- ◆ 66" overall length
- ◆ 24" width
- ◆ Weight: 58 lbs (pair)

Part #: N80SS

- ◆ Two 18 gauge stainless steel fenders
- ◆ 80" overall length
- ◆ 24" width
- ◆ Weight: 58 lbs (pair)



Part #: N80G


- ◆ Two 16 gauge galvanized fenders
- ◆ 80" overall length
- ◆ 24" width
- ◆ Weight: 70 lbs (pair)

Part #: N125A

- ◆ Two .090" aluminum fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 56 lbs (pair)

Part #: N125SS

- ◆ Two 18 gauge stainless steel fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 88 lbs (pair)



Part #: N125G

- ◆ Two 16 gauge galvanized fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 106 lbs (pair)


Gauge	Typical Thickness*
12	.105"
14	.075"
16	.060"
18	.048"

*For reference only.



To order single fender add -1 to the fender part number


ACP Aluminum Checker Plate Half Tandem Fenders



Part #: **NF66ACP**

- ◆ Two .100" aluminum fenders
- ◆ 66" overall length
- ◆ 24" width
- ◆ Weight: 38 lbs (pair)

- Light weight
- Aluminum checker plate (diamond pattern) design
- Excellent wear resistance




Black Poly Half Tandem Fenders



Part #: **NF66PX**

- ◆ Two black polyethylene fenders
- ◆ 66" overall length
- ◆ 26" width
- ◆ Weight: 22 lbs (pair)

- Long lasting high density polyethylene construction
- Corrosion, wear and UV resistant
- Lightweight
- Easy to clean and maintain




Candy Cane Half Tandem Fenders



Part #: **NF80SS2NR16CC**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 80" overall length
- ◆ 24" width
- ◆ Weight: 70 lbs (pair)

- Smooth fender construction
- Extended tire wrap-around
- Excellent wear resistance



www.nuline.ca

A Marmon Highway Technologies®/Berkshire Hathaway Company




Half Tandem Fender Mounting Kit Options

All kits mount one set of fenders

Part #: **N260SSMK**

Includes:


- 2 of N200-SS7
- 2 of N230*
- 2 of N52
- 1 of N260SSHB



Part #: **N260SSMKXB**

Includes:


- 2 of N200-SS7
- 2 of N52
- 1 of N260SSHB



Part #: **N260SSMKUB**

Includes:



- 2 of N200-SS7
- 1 of N230PMRH
- 1 of N230PMLH
- 2 of N52
- 1 of N260SSHB



Part #: **N8060SSMK**

Includes:


- 1 of NC091-SS
- 2 of N230*
- 1 of N6080SSHB



Part #: **N260SSMKHDUB**

Includes:


- 2 of N200-SS7HD (12 Gauge)
- 1 of N230PMLH
- 1 of N230PMRH
- 2 of N52
- 1 of N260SSHB



Part #: **N8060SSMK-PM-2X**

Includes:


- 2 of N728-SS
- 2 of N52
- 2 of N2125-SS
- 1 of N6080SSHB-2



Part #: **N8060GMK**

Includes:

- 1 of NC091
- 2 of N230*
- 1 of N6080GHB



Also available:

- N8060SSMKUB
- N8060SSMK-PM
- N8060SSMK-PM-2
- N260SSMKHD
- N8060GMKPM
- N8060SSMK-SM
- N8060SSMK-PMXB
- N8060SSMK-PMUB
- N8060SSMK-PM2UB
- N8060GMKPMUB
- N8060GMK-SM


*N230 is standard but other options available on page 27.



Gauge	Typical Thickness*
12	.105"
14	.075"
16	.060"
18	.048"

*For reference only.


Pro Series Flanged Smooth Full Tandem Fenders




- 14 gauge
- Smooth fender construction
- Excellent wear resistance

Part #: **NF13254SSNR**

- ◆ Two 14 gauge stainless steel fenders
- ◆ 132" overall length
- ◆ 24" width
- ◆ Weight: 150 lbs (pair)




1000 Series Flanged Smooth Full Tandem Fenders



- 16 gauge
- Smooth fender construction
- Excellent wear resistance


Part #: **NF1012060SSNR**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 106 lbs (pair)




Part #: **NF1012054SSNR**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 106 lbs (pair)




Part #: **NF1012554SSNR**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 125" overall length
- ◆ 24" width
- ◆ Weight: 110 lbs (pair)



NF Series Flanged 3 Rib Full Tandem Fenders




- 3 rib construction
- Excellent wear resistance

NF Series 3 rib fenders continues next page


Part #: **NF96ARU** **NEW**

- ◆ Two .090" aluminum fenders
- ◆ **Ribs up** design
- ◆ 107" overall length
- ◆ 25" width
- ◆ Weight: 52 lbs (pair)



Part #: **NF99A**

- ◆ Two .090" aluminum fenders
- ◆ 108" overall length
- ◆ 24" width
- ◆ Weight: 52 lbs (pair)



www.nuline.ca

FULL TANDEM FENDERS

FULL TANDEM FENDERS

NF Series Flanged 3 Rib Full Tandem Fenders


Continued from previous page



- 3 rib construction
- Excellent wear resistance


Part #: **NF99SS**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 108" overall length
- ◆ 24" width
- ◆ Weight: 94 lbs (pair)




Part #: **NF120A**

- ◆ Two .090" aluminum fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 56 lbs (pair)




Part #: **NF120SS**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 106 lbs (pair)



Part #: **NF12054A**

- ◆ Two .090" aluminum fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 56 lbs (pair)




Part #: **NF12054SS**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 106 lbs (pair)

Part #: **NF112A**

- ◆ Two .090" aluminum fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 56 lbs (pair)



Part #: **NF112SS**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 106 lbs (pair)

NF Series 3 rib fenders continues next page

Gauge	Typical Thickness*
12	.105"
14	.075"
16	.060"
18	.048"

*For reference only.



NF Series Flanged 3 Rib Full Tandem Fenders


Continued from previous page




- 3 rib construction
- Excellent wear resistance

Part #: **NF116A**

- ◆ Two .090" aluminum fenders
- ◆ 125" overall length
- ◆ 24" width
- ◆ Weight: 60 lbs (pair)



N Series 4 Rib Full Tandem Fenders




- 4 rib construction
- Excellent wear resistance

Part #: **N120A**

- ◆ Two .090" aluminum fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 56 lbs (pair)

Part #: **N120SS**

- ◆ Two 18 gauge stainless steel fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 88 lbs (pair)



Part #: **N120G**


- ◆ Two 16 gauge galvanized fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 106 lbs (pair)

Part #: **N12054SS**

- ◆ Two 18 gauge stainless steel fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 88 lbs (pair)

Part #: **N12054G**

- ◆ Two 16 gauge galvanized fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 106 lbs (pair)




FULL TANDEM FENDERS

www.nuline.ca



A Marmon Highway Technologies®/Berkshire Hathaway Company


ACP Aluminum Checker Plate Full Tandem Fenders



- Light weight
- Aluminum checker plate (diamond pattern) design
- Excellent wear resistance

Part #: **NF12054ACP**

- ◆ Two .100" aluminum fenders
- ◆ 120" overall length
- ◆ 24" width
- ◆ Weight: 75 lbs (pair)




Black Poly Full Tandem Fenders



- Long lasting high density polyethylene construction
- Corrosion, wear and UV resistant
- Lightweight
- Easy to clean and maintain

Part #: **NF13254PX**

- ◆ Two black polyethylene fenders
- ◆ 131" overall length
- ◆ 26" width
- ◆ Weight: 48 lbs (pair)




Candy Cane Full Tandem Fenders



- Smooth fender construction
- Extended tire wrap-around
- Excellent wear resistance


Part #: **NF142SSNR**

- ◆ Two 14 gauge stainless steel fenders
- ◆ 142" overall length
- ◆ 24" width
- ◆ Weight: 162 lbs (pair)



Part #: **NF13254SSNR16**

- ◆ Two 16 gauge stainless steel fenders
- ◆ 132" overall length
- ◆ 24" width
- ◆ Weight: 100 lbs (pair)



Gauge	Typical Thickness*
12	.105"
14	.075"
16	.060"
18	.048"

Full Tandem Mounting Kit Options

All kits mount one set of fenders

FULL TANDEM FENDERS

Part #: **N2120SSMKXB**

Includes:

- 4 of N200-SS7
- 4 of N52
- 1 of N2120SSHB



Part #: **N2120SSMK**

Includes:

- 4 of N200-SS7
- 4 of N52
- 2 of N230*
- 1 of N2120SSHB



Part #: **N2120SSMKUB**

Includes:


- 4 of N200-SS7
- 1 of N230PMLH
- 1 of N230PMRH
- 4 of N52
- 1 of N2120SSHB



Part #: **N2120SSMKHD**

Includes:


- 4 of N200-SS7HD (12 Gauge)
- 4 of N52
- 2 of N230*
- 1 of N2120SSHB



Part #: **N120-GMK-SM**

Includes:


- 4 of N30
- 2 of N230*
- 1 of N120GHB



Part #: **N120SSMK-SM**

Includes:

- 4 of N30-C
- 2 of N230*
- 1 of N120SSHB-SM



Also available:

- N120SSMK-PM-2
- N120-GMK
- N120SSMK
- N120-GMKUB
- N120SSMK-PM
- N120-GMK-PM
- N2120SSMKHDUB

*N230 is standard but other options available on page 27.

www.nuline.ca

A Marmon Highway Technologies®/Berkshire Hathaway Company

Fender Mounting Components



Part #: **N200-SS7**

◆ 29" stainless steel side mount arm - 14 gauge

Part #: **N200-SS7HD**

◆ 29" heavy duty stainless steel side mount arm - 12 gauge

Part #: **N200-SS7P**

◆ 28" stainless steel side mount arm for Peterbilt applications - 14 gauge

Part #: **N200-SS7-19**

◆ 19" stainless steel side mount arm for super single applications - 14 gauge



Part #: **N200SS7-BLK**

◆ 29" powder coated side mount arm - black -14 gauge



Part #: **N52**

◆ Threaded 3/4" - 16 post mount

Part #: **N8**

◆ Non-thread mount

Part #: **N52-19**

◆ Threaded 3/4" - 16 post mount for super single applications



Part #: **N40 (No Holes)**

◆ 30" threaded 3/4"-16 post mount - zinc

Part #: **N40-C**

◆ 30" threaded 3/4"-16 post mount - chrome



Part #: **N728**

◆ 29" side mount pipe stainless steel



Part #: **NC091 (No Holes)**

◆ 94" Pipe - zinc

Part #: **NC091-SS (With Holes)**

◆ 94" pipe - stainless steel



Part #: **N30 (No Holes)**

◆ 30" Side Mount - zinc

Part #: **N30-C (No Holes)**

◆ 30" side mount - chrome



Part #: **N2125-SS**

◆ Stainless steel clamp with bolt and nut



Part #: **18-02068 LHSS**

◆ Left hand mount stainless steel for Peterbilt applications

Part #: **18-02068 RHSS**

◆ Right hand mount stainless steel for Peterbilt applications



Part #: **N127-SS7**

◆ Quarter fender pipe

◆ **Note: Not For Half or Full Tandem Applications.**



Centre Mounting Brackets



Part #: **N230PMLH**

- ◆ Universal - left hand
- ◆ Height 8¹/₂" - 11⁵/₈"
- ◆ No plate
- ◆ Single hole

Part #: **N230PMRH**

- ◆ Universal - right hand
- ◆ Height 8¹/₂" - 11⁵/₈"
- ◆ No plate
- ◆ Single hole



Part #: **N230**

- ◆ Regular
- ◆ Height 12³/₄"
- ◆ Plate: 4" x 6"
- ◆ Bolt centres: 4¹/₄"



Part #: **N230-FL-LH**

- ◆ Left hand
- ◆ Height 12¹/₂"
- ◆ No plate
- ◆ Slots in bar

Part #: **N230-FL-RH**

- ◆ Right hand
- ◆ Height 12¹/₂"
- ◆ No plate
- ◆ Slots in bar



Part #: **N235-LH**

- ◆ Outboard - left hand
- ◆ Height 7¹/₂"
- ◆ No plate
- ◆ Slot in bar

Part #: **N235-RH**

- ◆ Outboard - right hand
- ◆ Height 7¹/₂"
- ◆ No plate
- ◆ Slot in bar



Part #: **N230-19L**

- ◆ Super single application - left hand
- ◆ Height 8¹/₂" - 11⁵/₈"
- ◆ No plate
- ◆ Single hole

Part #: **N230-19R**


- ◆ Super single application - right hand
- ◆ Height 8¹/₂" - 11⁵/₈"
- ◆ No plate
- ◆ Single hole



MUD FLAP HANGERS


Mounting hardware included on all Mud Flap Hangers

NF30 Mud Flap Hanger Series




Part #:	Description	length
Set of Two		
NF30P	Painted	30"
NF30C	Chrome	30"
NF30SS	Stainless Steel	30"
NF31SS	Stainless Steel	31"
NF33SS	Stainless Steel	33"

NF37 Angled Mud Flap Hanger Series




Part #:	Description
Set of Two	
NF37P	Painted
NF37C	Chrome
NF37SS	Stainless Steel

NF3345 Angled Mud Flap Hanger Series




Part #:	Description
Set of Two	
NF3345P	Painted
NF3345C	Chrome
NF3345SS	Stainless Steel

NF27 Mud Flap Hanger Series




Part #:	Description
Set of Two	
NF27P	Painted
NF27C	Chrome
NF27SS	Stainless Steel

Poly Mud Flap Hanger



Part #:	Description
Set of Two	
FW3100-V25KIT	Black Poly


Flexible Mud Flap Reflector Strips



Part #:	Description
Set of Two	
NRS3000	Fits NF27, NF30, NF31, NF33, N23, N25, NL306
NRS3700	Fits NF37, NF3345, N33, N35



FleetFLEX Mud Flap Hangers **NEW**



Packaging box converts to display in seconds. Available when ordering Part #: FF25-50 BOX




Part #: **FF25-KIT**

- ◆ Two FleetFLEX mud flap hanger arms
- ◆ Designed for standard 5/8" frame mounts
- ◆ Weight: 2 lbs (pair)

Part #: **FF25-50 BOX**

- ◆ Fifty FleetFLEX mud flap hanger arms
- ◆ Display for hanger brackets (see photo at left)
- ◆ Designed for standard 5/8" frame mounts
- ◆ Weight: 2 lbs (pair)

FleetFLEX₂ Mud Flap Hangers **NEW**



Packaging box converts to display in seconds. Available when ordering Part #: FF2-25-50 BOX



Part #: **FF2-25-KIT**

- ◆ Two FleetFLEX₂ mud flap hanger arms for straight or 45° bracket mounts
- ◆ Designed for standard 5/8" frame mounts
- ◆ Weight: 2.5 lbs (pair)

Part #: **FF2-25-50 BOX**

- ◆ Fifty FleetFLEX₂ mud flap hanger arms for straight or 45° bracket mounts
- ◆ Display for hanger brackets (see photo at left)
- ◆ Designed for standard 5/8" frame mounts
- ◆ Weight: 2.5 Lbs. (Pair)

Flexible Mud Flap Hangers

(Includes mounting hardware)



Part #:

Set of Two

Description

N25

Two spring hangers

N25-BARREL

40 spring hangers

N23-2BULK

40 mounting kits



Part #:

Set of Two

Description

N23

Two coiled spring hangers



Part #:

Set of Two

Description

N35

Two angled spring hangers



Part #:

Set of Two


Description

N33

Two angled
Coiled spring hangers

www.nuline.ca

Spring Loaded Mud Flap Light Bar



Part #:

NL306SS-NL

Description

Stainless steel light bar set

NL306SS-NL-1RH


Stainless steel light bar right hand

NL306SS-NL-1LH

Stainless steel light bar left hand

The easy to install lights are not included!

Centre Light Panel



Part #:

N3412SSNL


Description

Stainless steel centre light panel

The easy to install lights are not included!




Round Pattern Deck Plates



Part #:	Description	Nominal Thickness	Channel Depth	Standard Width	length
N2433GR	Galvanized	.086"	1 1/2"	24"	33"
N3633GR				36"	
N1833AR	Aluminum	.125"	2"	18"	
N2433AR				24"	
N3633AR				36"	

Deck lengths of 12' are available.


Diamond Pattern Deck Plates



Part #:	Description	Nominal Thickness	Channel Depth	Standard Width	length
N1833GD	Galvanized	.075"	1 1/2"	18 ³ / ₄ "	33"
N2433GD				24"	
N3633GD				36"	
N1233AD	Aluminum	.080"	2"	11 ³ / ₄ "	
N2433AD				24"	
N3633AD				36"	

Deck lengths of 12' are available.


Aluminum Step



Part #:	Description	Height	Width
N1223A	Aluminum	23"	12 1/2"

www.nuline.ca

Miscellaneous and Bulk Items




Part #: **N2620-P**

- ◆ Painted anti-sail mud flap bracket
- ◆ fits standard 24" wide mud flaps up to 1/2" thick

Part #: **N2620-C**

- ◆ Chrome plated anti-sail mud flap bracket
- ◆ Fits standard 24" wide mud flaps up to 1/2" thick




Part #: **N23-2 BULK**

- ◆ 40 mount kits for N25 spring mud flap hangers



Part #: **N38J BULK**

- ◆ 40 "J" hook for deck plates



Part #: **N755SS BULK**

- ◆ 50 quarter fender plugs



Part #: **N123-5 BULK**

- ◆ 20 mud flap tops



Part #: **N1522RU-BULK**

- ◆ 20 universal rubber strips



Part #: **N123-8 BULK**

- ◆ 50 muffler clamps



Part #: **N123SS-4-0 BULK**

- ◆ 24 quarter fender tube braces



Installation


Important! Read Instructions Prior to Installation.

Installation Instructions for Nu-Line Fenders consult pages 4-27 of this catalogue for the dimensions of the mounting hardware available.

The rear bracket (or centre bracket on a full fender) dimensions are critical in determining which bracket will fit on a particular truck. Determine the optimum location for the front and rear mounting brackets and in the case of a full fender, the centre brackets.

Install the brackets as per the schematic shown in the catalogue. Affix all brackets and posts or side mounts to the frame using grade 8 bolts to firmly secure the brackets.

In the case of half and full fenders use the rubber insulator strips between the surface of the rear or centre bracket and the fender. These must be used as they absorb vibration which can lead to cracking of fenders. The rubber strips are manufactured to



mate with the ribbed and smooth fender models. Round rubber grommets should not be used. The rear bracket must have a flat surface of 21" by 2" to properly secure the fender, and ensure maximum effectiveness and longevity of the fender.

Some rear or centre bracket models such as the N230PMLH and N230PMRH require a left and right.

All models of fenders must be positioned so that they are aligned properly. This means that all surfaces must make contact with the brackets without the fender requiring any twisting or bending.

Should the fender require twisting to attach it to the brackets you risk premature unwarranted failure or cracking.

Drill the holes in the fenders as needed. Three bolts must be used when the fenders are attached to the rear brackets or centre brackets. These bolts are supplied in the appropriate mounting kits. When using the mounting kits containing the N200-SS7 mounting arms there is an installation template included for this purpose. This template is included in the N2180SSMK, N2120SSMK, and N260SSMK mounting kits.

Use only stainless steel hardware when installing Nu-Line stainless steel tandem fenders and galvanized when installing aluminum and galvanized fenders. The hardware supplied in the mounting kits is specific for the type of material used in the fenders. Failure to use only the specified hardware could result in premature staining and/or corrosion of fenders.

Secure the fenders firmly on the mounting arrangement using the hardware provided in the mounting kits.

In order to keep stainless steel fenders clean with a good appearance, clean only with mild soap and water. Do not use harsh or gritty cleaners or acids as they could tarnish the surface of fenders.

NOTE: AVOID STORING IN DIRECT SUNLIGHT AS REFLECTION OF FOCUSED LIGHT COULD POSE FIRE HAZARD.

www.nuline.ca



Limited Warranty

All products manufactured and sold by Nu-Line Products Inc. are guaranteed to be free of defects in workmanship and materials for a period of one (1) year from date of installation. All Nu-Line products must be installed using only Nu-Line supplied mounting kits and brackets. All tandem and half fenders must use a properly secured centre bracket to avoid cracking. Any use of mounting hardware and brackets of another make to mount Nu-Line products, or any modification of a Nu-Line product, will render the Nu-Line guarantee void. Nu-Line assumes no responsibility for the cost of installation or removal.

Exceptions to this limited warranty are as follows: cleaning with anything other than soap and water, damage and dents from road hazards are not covered, misuse or accidental impact damage is not covered, damage caused by corrosive materials is not covered.

Any materials to be considered for warranty must be returned to Nu-Line Products Inc. in Hamilton, freight prepaid, for inspection, with an approved Nu-Line Returned Goods Authorization. This warranty is good only for the original end-user of Nu-Line products.

General Information

Stainless Steel Fender Care and Maintenance

Nu-Line strongly recommends washing your fenders with water only. If detergents are necessary do not use anything stronger than a mild soap and water. When wiping and buffing your fenders we recommend using a soft, clean cloth making sure to wipe in the direction of the grain, do not buff in a circular fashion as this could cause damage to the surface.

Terms

All shipments are made COD unless credit is pre-arranged and authorized by Nu-Line Products Inc.

Minimum Orders

\$250.00 is the minimum order. Orders under \$250.00 are subject to a \$50.00 service charge.

Call In Orders

Verbal orders must be confirmed in writing by fax or email prior to scheduling. Each order must include a valid purchase order number.

Shipping

All goods are to be shipped FOB from Nu-Line in Hamilton, ON. Every effort is made to ship customer orders in a timely manner, Nu-Line Products and its affiliates cannot guarantee same day delivery of the orders it receives.

Shortages

Shortages or errors made in filling an order must be reported within 10 days upon receipt of any shipments.

Damaged Goods

It is the customer's responsibility to inspect each shipment for damage. If the product is damaged in transit, the customer must file a freight claim with the carrier.

Returned Goods

All returned goods must be authorized in advance by Nu-Line Products Inc. Items returned for credit will be subject to a restocking charge of 15%, and must be returned prepaid. No returns will be accepted without:

1. A Returned Goods Authorization (RGA) number issued by Nu-Line, and
2. A copy of the original invoice.
3. RGA good for 30 days only.

No credit will be issued for goods that Nu-Line deems damaged, unsuitable for sale, or discontinued.

Each customer is eligible to return 10% of last years sales.



Nu-Line is Canada's Spray Suppression Leader. With a full line of products to fit all major manufacturers trucks and trailers, you can count on Nu-Line for unparalleled quality and exceptional value. Nu-Line is a Marmon Highway Technologies LLC (MHT) company. MHT companies support the transportation industry worldwide with a wide range of high-quality products and services. MHT companies are members of Marmon Holdings, Inc., an International Association of more than 150 business units that operate independently within diverse business sectors. Marmon Holdings, Inc. is a Berkshire Hathaway company.



www.nuline.ca

 A Marmon Highway Technologies®/Berkshire Hathaway Company





Toll Free: 866-837-2082
www.nuline.ca

Nu-Line Products Inc.
891 Arvin Avenue, Stoney Creek, ON L8E 5N9
Fax: (905) 643-5380

Specifications subject to change without notice.

NL2013B-2500-1014
©2014 Nu-Line Products, Inc.