

Toll Free: 866-837-2082 www.nuline.ca • sales@nuline.ca

Contents

NU-LINE®

Poly Fenders

- Single Axle (Decorative Band) 4

Half Tandem Fenders

- ◆ Half tandem fenders 6
- ◆ Half tandem mounting kits......7

Single Axle Fenders

Full Tandem Fenders

- ◆ Full tandem fenders...... 10
- ◆ Full tandem mounting kits...... 10
- Premium Titanium Dark Knight
 - ◆ Single axle, full & half tandem 11

New Products

Dark Knight Fenders



Titanium mirror black coating
Durable scratch resistent finish

◆ 16 gauge stainless steel

See page 11

For sales enquiries email: sales@nuline.ca



Super Single Fenders

Single axle/full and half tandem 12-13

ACP Aluminum Checker Plate/

◆ Half tandem/full tandem/ 14

Tanker Fenders

Mud Flap Hangers, Anti-Sail Brackets, Mud & Deck Plates

- Deck Plates.....19

Side Guards/Mud Flaps/Clamps

- Side GuardsBack Cover
- ◆ Air Pass mud flapsBack Cover
- ♦ Exhaust clampsBack Cover

New Poly Fender Width and Styles



New glossy design comes in 29" and 21" widths. See page 3



Exhaust clamps for heavy duty trucks See Back Cover



Attractive stainless steel band that can be field installed. See page 4



brackets feature conspicuity reflecters See page 18



Polished Stainless

Steel Fender Plug

New fender plug

press-in installation.

New poly clamp kit

design. Simple


See page 16

Four poly fender mounting clamps **See page 4**

Helpful Information

- SS = StainlessSFA = AluminumNFG = Galvanized16PX = Poly18ARU = Aluminum ribs up14
- SRU = Stainless ribs up NR = No ribs 16 ga. = .057" typically 18 ga. = .048" typically 14 ga = .070" typically

Poly Single Axle Fenders





www.nuline.ca • sales@nuline.ca


warranty details.

installation on one vehicle. Contact Nu-Line for




Available in multiple colours; 10 pair minimum order. 8 week lead time.

> * Feature a limited lifetime product warranty. Warranty is non-transferable and applies to installation on one vehicle. Contact Nu-Line for warranty details.




- Two top flaps with hardware
- ◆ Two black clamps
- ◆ 24" length
- Weight: 20 lbs (pair)

- 24" -








www.nuline.ca • sales@nuline.ca


Half Tandem Fender Mounting Kit Options

(All kits mount one pair of fenders)




Additional kits available (www.nuline.ca)






- ◆ 24" width
- ◆ Weight: 70 lbs (pair)







Additional kits available (www.nuline.ca)







U-LINE


www.nuline.ca • sales@nuline.ca

11









Side view

Side view

25

Pair Part #: NF180SSNR19 Single Part #: NF180SSNR19-1

- ◆ 16 gauge stainless steel fender(s)
- Smooth construction
- ♦ 80" overall length
- ◆ 19" width

fender(s)

fender(s)

◆ Weight: 45 lbs (pair)

Side view 2" Front view Flange - 19" -26


Flange Flange Fender Width

Front view ←24"→ Fender Width

2" Flange

Pair Part #: NF72SSNR19 Single Part #: NF72SSNR19-1

- ♦ 16 gauge stainless steel fender(s)
- Smooth construction
- ◆ 72" overall length
- ◆ 19" width
- Weight: 64 lbs (pair)




Stainless Steel Quarter Fenders



Part #: N224-SS

- ◆ Two 18 gauge stainless steel fenders
- Two N200-SS7 mounting arms
- Two top flaps with hardware
- Two stainless steel clamps
- ◆ 24" length
- ◆ Weight: 35 lbs (pair)






Part #: N224-SSB


- ◆ Two 18 gauge stainless steel fenders
- ◆ Two mounting pipes
- ♦ Six mounting braces
- Two top flaps with hardware
- Two stainless steel clamps
- ◆ 24" length
- ♦ Weight: 30 lbs (pair)

Part #: N227-SS

- Two 18 gauge stainless steel fenders
- Two N200-SS7 mounting arms
- Two top flaps with hardware
- Two stainless steel clamps
- ◆ 27" length
- Weight: 35 lbs (pair)










Part #: 1585-FB


- ◆ Two 18 gauge stainless steel fenders
- Two top flaps with hardware
- Two stainless steel clamps
- ◆ 22" length
- Weight: 32 lbs (pair)





Part #: 1585-LM

- ◆ Two 18 gauge stainless steel fenders
- Two top flaps with hardware
- Two stainless steel clamps
- ◆ 22" length
- ◆ Weight: 29 lbs (pair)





Construction and the state of the second second second							
030							
190.00	► <u>NU</u> -L	NE "					
Ö EL S	Fend	er Mo	unting	g Co	ompo	onents	
SS LL	(Sold as si	ingle pieces)				N200-SS7 inless steel s	
						N200SS7H avy duty stair	
	-				Part #: I ♦ Stainles 14 gau	N200-SS7 ss steel side i ge	m
						N200-SS7 wder coated	
	← 7"	\rightarrow			Part #: ♦ Thread	N52 ed 3/4" - 16	р
	0				Part #: I ♦ Non-th	N8 read mount -	. (
	← 10 ¹	/2"			 Thread 	ZN52-19 ed 3/4" - 16 tions -10 ¹ /2"	p le
	Ø				Part #: ♦ 30" thre	N40 (No H eaded 3/4"-1	IC 6
	0					N40-C (Ho eaded 3/4"-1	
		0				N728-SS e mount pipe) (
					Part #: ♦ 94" Pip	NC091 (No e - zinc	D
		•				NC091-SS e - stainless	
						Z1590-6B ck powder c	
				-	Part #: ♦ 30" Sid	N30 (No H le Mount - zir	וכ חכ
					Part #: ♦ 30" sid	N30-C (No e mount - ch) Irc
2	A.S.					N2125-SS ss steel clam	
5	Q					N123-8 BL fler clamps	J
	7					N755SS B shed stainles	
2.2. 17 1 3	Anti-Sa	ail Mud Fl	ap Bracke	ets			
	()		р Г		 Painted 	N2620P I anti-sail muo ndard 24" wi	
13 4 4 7 a 4 5					+ 1 110 SId	naara z+ WI	u

Part #: N2620P

Part #: N200SS7HD

Part #: N200-SS7-19

Part #: N200-SS7BLK

applications -101/2" length Part #: N40 (No Holes)

Part #: N40-C (Holes)

◆ 29" stainless steel side mount arm - 14 gauge

♦ 29" heavy duty stainless steel side mount arm - 12 gauge

◆ 29" powder coated side mount arm - black -14 gauge

Non-thread mount - Uses a bolt and nut 3/4" - 7" length

♦ 27" black powder coated pipe (Poly mounting kit replacement)

◆ Threaded 3/4" - 16 post mount - 7" length

◆ Threaded 3/4" - 16 post mount for super single

♦ 30" threaded 3/4"-16 post mount - zinc

♦ 29" side mount pipe stainless steel

Part #: NC091 (No Holes)

Part #: NC091-SS (Holes) ◆ 94" pipe - stainless steel

Part #: **Z1590-6BNH**

Part #: N30 (No Holes) ♦ 30" Side Mount - zinc

Part #: N123-8 BULK ◆ 50 muffler clamps

Part #: N755SS BULK

Part #: N30-C (No Holes) ◆ 30" side mount - chrome

• Stainless steel clamp with bolt and nut

◆ 30" threaded 3/4"-16 post mount - chrome

• Stainless steel side mount arm for super single applications -

- Painted anti-sail mud flap bracket
- ◆ Fits standard 24" wide mud flaps up to 1/2" thick

◆ 50 polished stainless steel guarter fender plugs

Part #: N2620C


- Chrome plated anti-sail mud flap bracket
- ◆ Fits standard 24" wide mud flaps up to 1/2" thick

Centre/Rear Mounting	Brackets		0	
Sold as single piece)	 Makes fender installation easy Post mounts to truck frame with one bolt Takes up minimum space on truck frame 8" high with 27" to 30" length adjustment 360° swivel provides maximum flexibility when mounting to the truck frame Mounts many types of fenders All hardware included. 			
	8" offset Part #: N360 4" offset Part #: N360- 10" offset Part #: N360		22200	
360° swivel Adjustable Length	4", 8" or 10"	easy installation	000 C00	
	Part #: N230PMLH • Universal - left hand • Height 8 ¹ /2" - 11 ⁵ /8" • Single hole	Part #: N230PMRH ◆ Universal - right hand ◆ Height 8 ¹ /2" - 11 ⁵ /8" ◆ Single hole		
	Part #: N230 ♦ Regular ♦ Height 12 ³ /4" ♦ Plate: 4" x 6" ♦ Bolt centres: 4 ¹ /4"		0.00 Sec.	
	Part #: N230-FL-LH ◆ Left hand ◆ Height 12 ¹ /2" ◆ Slots in bar	Part #: N230-FL-RH ♦ Right hand ♦ Height 12 ¹ /2" ♦ Slots in bar		
	Part #: N235-LH ◆ Outboard - left hand ◆ Height 7 ¹ /2" ◆ Slot in bar	Part #: N235-RH ◆ Outboard - right hand ◆ Height 7 ¹ /2" ◆ Slot in bar		
	 Part #: N230-19L Super single application - left hand Height 8¹/2" - 11⁵/8" Single hole 	 Part #: N230-19R Super single application - right hand Height 8¹/2" - 11⁵/8" Single hole 		



NU-LINE[®] Spring Loaded Mud Flap Hangers

(Mounting hardware included with all Mud Flap Hangers)



Flexible Mud Flap Ha	P	(Includes m air Part #: 125 125-BARR 123-2 BUL	Desc Two s EL 40 sp	ription pring han	ers (no har	dware)			
29 3/4"		air Part #: 23		ription oiled sprir	ng hangers	6			
Pair Part #: Description N35 Two angled					ing hangei	ΓS			
0		air Part #: 33	Two a	ription ngled d spring ha	angers				
Elovible Mud Elan Poflector Str	inc								
Flexible Mud Flap Reflector Strips Pair Part #: Description NRS3000 Fits NF27, NF30, NF31,									
NF33, N23, N25, NL306 NRS3700 Fits NF37, NF3345, N33, N35									
Round Pattern Deck Plates			Nominal	Channel	Standard				
Hound Fattern Deck Flates	Part #:	Description	Thickness	Depth	Width	Length			
	N2433GR N3633GR	Galvanized	.086"	1 ¹ /2"	24" 36"	33"			
	"J" hooks inclu	ded 🥌							
Diamond Pattern Deck Plates	Part #:	Description	Nominal Thickness	Channel Depth	Standard Width	Length			
And the second se	N1833GD				18 ³ /4"				
**********	N2433GD	Galvanized	.075"	1 ¹ /2"	24"	33"			
	N3633GD	_			36"				
	"J" hooks inclu	ded 🦳							



Side Guards

Many trucks work in close proximity to pedestrians and cyclists. Nu-Line Side Guards provide an additional protection barrier in the event of a side collision.





Easy 1-bolt assembly to truck frame.



Easy 5 minute per side installation.



Pin locking system removes in seconds for temporary access to undercarriage.



- 2' beams Pair Part #: NSG2-KIT
- 3' beams Pair Part #: NSG3-KIT
- 5' beams Pair Part #: NSG5-KIT
- 8' beams Pair Part #: NSG8-KIT
- To order one side change KIT to -1
- Meets VOLPE recommended standard of side guard force protection
- Easy/flexible installation (5 minutes per side)
- No welding or fabrication
- No "certified" installer required
- Easy temporary removal if automotive technician needs access to undercarriage

Air Pass Mud Flaps

(Sold as single piece)



Imagine a flap with a Lifetime warranty* for normal wear and tear!

Part #: **N2424APF** 24"x24" Air Pass mud flap

Part #: **N2430APF** 24"x30" Air Pass mud flap

Part #: **N2436APF** 24"x36" Air Pass mud flap * Contact Nu-Line for warranty details.

- Fuel Savings: Using CFD (Computational Fluid Dynamics) testing on a trailer/tractor combination there was a 0.4% fuel savings with slotted mud flaps.
 Weight Savings: On a truck/trailer combination
- ♦ Weight Savings: On a truck/trailer combination using 4 flaps you could expect at least an 8 lb savings over a 5 lb rubber flap.
- **Payback:** in approximately a year.
- ◆ High Quality Materials: High impact nylon suitable for winters (to -70°C). After gravelometer testing there was no cracking or fractures observed. Air Pass withstood gravel impacts that conventional poly flaps cannot.

U-bolt exhaust

saddle clamp (Stainless Steel)

5" U-bolt Clamp Part #: NSC5SS

 Pre-attached hardware included

◆ Fits around the

exhaust pipe and

provide superior

and adjustability

304

finish

sealing

Made from polished

stainless steel mirror

◆ No need for anti-sail brackets.

Nu-Line exhaust clamps for heavy duty trucks

Exhaust band clamp (Aluminized)

5" Band Clamp Part #: NEC5A

- Pre-attached hardware included
- ♦ Aluminized dull finish
- For exhaust pipe, muffler, elbow and exhaust tubing connection



Exhaust band clamp (Stainless Steel)

4" Band Clamp Part #: NEC4SS 5" Band Clamp Part #: NEC5SS 6" Band Clamp

- Part #: NEC6SS
- Pre-attached hardware included
- Made from polished 304 stainless steel mirror finish
- For exhaust pipe, muffler, elbow and exhaust tubing connection

Toll Free: 866-837-2082 • www.nuline.ca • sales@nuline.ca Nu-Line Products Inc. • 891 Arvin Avenue, Stoney Creek, ON L8E 5N9 • Fax: (905) 643-5380

A Marmon | Berkshire Hathaway Company ©2020 Nu-Line Products, Inc.

S Steel) Clamp EC4SS